If you are using a printed copy of this procedure, and not the on-screen version, then you <u>MUST</u> make sure the dates at the bottom of the printed copy and the on-screen version match. The on-screen version of the Collider-Accelerator Department Procedure is the Official Version. Hard copies of all signed, official, C-A Operating Procedures are kept on file in the C-A ESHQ Training Office, Bldg. 911A.

C-A	OPERATIONS PRO	CEDURES MANUAI	٠	
	2.35 Snow	Removal		
	Text Pages 2	through 4		
	Attachi	ment		
	Hand Processo	ed Changes		
HPC No.	<u>Date</u>	Page Nos.	<u>Initials</u>	
	Approved:	Signature on File		
	Approved: <u>Signature on File</u> Collider-Accelerator Department Chairman			Dat

R. Karol

2.35 Snow Removal

1. Purpose and Scope

1.1 When a snowstorm is predicted, the established plowing plan must be reviewed by the C-AD Maintenance Coordinator and MCR. The plan must be reviewed to identify priority areas dictated by the run schedule expected through the storm period. Any updates to the plan must be communicated to the proper Plant Engineering (PE) contact(s), and to CAS Watch to assure that any changes are understood and will be implemented. During off hours, CAS and MCR should monitor plowing progress against the revised plan.

BNL Plant Engineering must first plow certain lab roads to allow passage for any life safety vehicles (e.g. fire trucks and ambulance), before plowing other roads. Beyond these routes, PE has an established plan for clearing the C-A Complex (see Table 1). Realizing this, MCR shall not contact PE with any non-emergency snow clearing requests.

2. Responsibilities

None

3. Prerequisites

Within C-AD, the staff needs to determine what constitutes an emergency and understand where a given emergency will appear on the snow removal priority list.

There are three types of emergencies:

- a) Life Safety Emergency Obviously, these are situations when a person's life is at risk. These always have first priority. The snow crew will always work first to clear the roads to allow passage of the fire and rescue vehicles.
- b) Property Emergency A second tier priority, these are declared when permanent or expensive damage/downtime will occur to the machine or one of its subsystems if immediate action isn't taken.
- c) Machine Downtime/Operations Emergency The lowest priority, action must be taken to avoid or minimize machine downtime.

4. <u>Precautions</u>

None

5. Procedure

Caution:

During inclement weather it is suggested that the machine be operated in a manner that would minimize the possibility of calling in system experts. An effort must be made to avoid requiring staff to travel onsite or be called in when a snow emergency has been declared. Of course, this must be balanced with all other rules required to maintain safe operations.

- 5.1 When a snowstorm occurs or is predicted, the Maintenance Coordinator shall review the C-AD Snow Removal Priority Buildings List (Table 1) to determine if other priorities exist based on the run schedule expected through the storm period.
 - 5.1.1 These changes/additions shall be communicated to Plant Engineering, MCR and CAS.
- 5.2 Requests for emergency snow removal consistent with Section 3 shall be made to the MCR.
- 5.3 Priorities shall be made by the Maintenance Coordinator or Operations Coordinator.
- 5.4 MCR shall inform Plant Engineering of any Life Safety or Property emergencies, as defined in Section 3, that require quick snow removal.
 - 5.4.1 MCR shall impress upon Plant Engineering that the situation is Life Safety, or a Property Emergency and that quick action is required. Try to give a time when the job must be done.
 - 5.4.2 MCR will receive updates from PE on what areas have been cleared and report this information to the groups requesting the snow removal. Emergency requests for snow removal will be reviewed as they are received, the snow removal priority will be adjusted as needed. Any priority change requests will be communicated to PE.

6. **Documentation**

None

7. References

7.1 Memorandum from G. McIntyre to P. Ingrassia, Snow Removal Procedure for the C-AD, January 23, 2004

8. Attachments

8.1 Table 1 – C-AD Snow Removal Priority Buildings.

Attachment 8.1

<u>Table 1 – C-AD Snow Removal Priority Buildings</u>

Building	Group / Equipment
901	Tandem
911	C-A Main Control Room (North
	by Westinghouse Pump Room)
911	Rear – AGS Emergency Entrance
	(Plug Door)
928/9290	Siemens Control Room
930	LINAC
940	Collider Accelerator Support
	Group
1002A	BRAHMS Experiment
1005R & H	RHIC Cryogenics Control
1006A	STAR Experiment
1008A	PHENIX Experiment
1010A	PHOBOS Experiment